

BEAUTY WASH PRODUCT BAR COMPOSITIONS DELIVERING ENHANCED VISUAL BENEFITS TO THE SKIN WITH SPECIFIC OPTICAL ATTRIBUTES

FIELD OF THE INVENTION

The present invention relates to compositions delivering solid particulate optical modifiers (e.g., titanium dioxide, mica, etc.) delivering enhanced visual benefits (gloss, shine, color) to the skin using specific deposition systems capable of delivering the optical modifiers from rinse-off bar compositions to provide specific optical attributes (e.g., to enhance reflectance by certain per cent and/or to change unit lightness or color values in amounts previously not possible in rinse-off systems). Generally, the enhancement is obtained by use of specific deposition system (e.g., cationic polymer/ anionic surfactant precipitates) and/or by ensuring dispersion of particles (e.g., little or no agglomeration) onto skin or deposited substrate. Bar processing parameters may help enhance this dispersion.

BACKGROUND

It is extremely difficult to deliver enhanced optical properties (radiance; whiteness; perceived blueness versus yellowness or reds versus green) from a rinse-off composition. The optical modifiers delivering these properties are not readily deposited, are readily rinsed off and, because they readily agglomerate, are not in a sufficiently dispersed state to be efficiently delivered to substrate (which is another way to say that they rinse off too easily).

Applicants' co-pending U.S. Serial No. 10/241,401 to Zhang et.al., filed September 11, 2002 discloses personal care formulations comprising particles of defined refractive index, thickness, geometry and size. While this disclosure relates to how size, shape, etc. of the particles themselves help deposition (and thus shine), it fails to disclose specific deposition enhancement systems (e.g. based on type of surfactant and/or polymers), and the use of such systems to deliver specifically targeted optical properties when values defining these targeted properties are changed by certain absolute or percentage amounts. It also does not disclose how particles must be adequately dispersed on substrate (e.g., skin) to deliver defined change values needed to perceive measure optical traits.

U.S. Serial No. 10/443,396 to Zhang et al., filed May 23, 2003 discloses structured benefit agent for enhanced delivery of optical modifier, but again does not disclose specific delivery systems, does not disclose necessity of, or manner to achieve particulate dispersal, and does not disclose compositions or materials needed to deliver change in values (absolute or percentage) associated with perceived optical benefit.

BRIEF SUMMARY OF THE INVENTION

Unexpectedly, applicants have now found both compositions and ways to manipulate such compositions to provide specific optical benefits from bar systems. That is, using deposition enhancement systems (e.g., characterized, for example, by precipitates formed through interaction of polymers and surfactants), modifiers associated with specified optical properties (gloss, whiteness, degree of "blueness") can be dispersed and delivered to provide desired optical attributes (i.e., by

providing sufficient change in absolute or percentage values of the components to result in perceived optical changes). Changes in optical attributes previously unobtainable from wash-off/rinse-off bar systems are provided by selecting the specified components.

More particularly, the invention comprises as follows:

Beauty wash product compositions for delivery of enhanced (changed) visual benefits to the skin with specific optical attributes comprising:

- a) from 5.0% to about 75%, preferably 10% to 75%, more preferably 15% to 70% by weight surfactant selected from anionic, nonionic, amphoteric and cationic surfactants and mixtures thereof;
- b) from 0.1 to 35%, preferably 0.2 to 25% by weight of solid particulate optical modifier which exhibits a specific set of optical properties (e.g., defining radiance or shine (Δ gloss), whiteness (ΔL), degree of red or greenness (Δa^*), degree of yellow or blueness (Δb^*), change in opacity) and which, in combination with a deposition enhancement system, provides at least 5% improvement (i.e., 5% change) in at least one visual attribute being targeted (e.g., shine, color), wherein values reflecting various optical properties are measured before or after conducting tests according to a defined protocol, when said composition is applied to the skin;
- c) from 0.1 to 25% by wt. of a deposition enhancement system, wherein, the deposition enhancement system enhances delivery to the skin of a target or defined visual attribute (e.g. shine) by the optical modifier relative to a composition that has the same surfactant and optical

modifier used at the same concentration but does not have the deposition enhancement system; and

- d) from about 0.1% to 80% of a hydrophilic structural dispersant (for example, polysaccharides such as sugar, xanthan gum, agar; alkaloid derived polymers such as starch, cellulose and their soaps; fatty acid soap crystals, polyols, polyalkylene glycol, inert solid phase structuring materials and mixtures thereof);

In a preferred embodiment, the structurant is a hydrophilic structurant such as polyalkylene oxide (e.g., polyethylene glycol) or soluble sugar;

- e) 1% to 12% by wt. water.

As noted, the changes in visual attribute may be measured by a change in value of at least one component (gloss value, color value defined by an a^* or b^* value) of at least 5% in absolute or per cent terms.

These and other aspects, features and advantages will become apparent to those of ordinary skill in the art from a reading of the following detailed description and the appended claims. For the avoidance of doubt, any feature of one aspect of the present invention may be utilized in any other aspect of the invention. It is noted that the examples given in the description below are intended to clarify the invention and are not intended to limit the invention to those examples per se. Other than in the experimental examples, or where otherwise indicated, all numbers expressing quantities of ingredients or reaction conditions used herein are to be understood as modified in all instances by the term "about". Similarly, all percentages are weight/weight percentages of the total composition unless otherwise indicated.

Numerical ranges expressed the format "from x to y" are understood to include x and y. When for a specific feature multiple preferred ranges are described in the format "from x to y" it is understood that all ranges combining the different endpoints are also contemplated. Where the term "comprising" is used in the specification or claims, it is not intended to exclude any terms, steps or features not specifically recited. All temperatures are in degrees Celsius (°C) unless specified otherwise. All measurements are in SI units unless specified otherwise. All documents cited are – in relevant part – incorporated herein by reference.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to composition and to methods of delivering enhancement in delivery of a targeted visual value (e.g., reflectance/shine; opacity/translucency; whiteness; blueness; rosiness) from bar compositions. Specifically, by using deposition enhancement systems, the targeted values can be manipulated to deliver the desired attribute or look.

Specifically, the rinse-off compositions of the invention comprise:

- a) 5.0% to 75%, preferably 10% to 70%, more preferably 15 to 70%, even more preferably 20 to 70% by wt. of a surfactant or mixture of surfactants;
- b) 0.1% to 35%, preferably 0.2% to 25% by wt. of a solid particulate optical modifier enhancing a specific set of properties (e.g. whiteness) and which, in combination with deposition enhancement system for the modifier (e.g. precipitate formed from interaction of polymer and surfactant) provides at least 5% change in at least one targeted visual attribute, wherein said change is defined by increase or decrease in

absolute or percentage value characterizing a specific trait (i.e., Δ gloss is associated with radiance or ΔL with whiteness) and evaluation is made after using a defined in vitro skin protocol test;

- c) from 0.1 to 25% by wt. of said deposition enhancement system wherein, said system (c) is defined by its ability to enhance delivery of said targeted visual attribute, by the modifier relative to composition with some surfactant and modifier at same concentration, but which does not have the deposition enhancement system, and
- d) from 0.1 to 80% by wt. of a hydrophilic structural dispersant; and
- e) 1% to 12% by wt. water

In general, the surfactant system used is also not critical. It is, however, preferred that there be present at least one lathering anionic surfactant.

Surfactant is present at a level of 5.0 to 75%, preferably 10 to 70%, more preferably 15 to 70% by wt. of composition.

In general, as noted, the surfactant may be selected from the group consisting of soap (including pure soap systems), anionic surfactant, nonionic surfactant, amphoteric/zwitterionic surfactant, cationic surfactant and mixtures thereof.

Preferably, the surfactant should be a lathering in surfactant which will allow the composition to lather at least 30 cc in a lather test.

"Soap" is used in the popular sense i.e., alkali metal or alkanol ammonium salts of aliphatic, alkane or alkene monocarboxylic acids. Other surfactants which

may be used are described in "Surface Active Agents and Detergents" (Vol. I & II) by Schwartz, Perry & Berch, a copy of which is incorporated by reference into the subject application.

Bars may include pure soap bars, bars which are primarily (>50% of surfactant system) soap and have some synthetic, bars which are primarily synthetic and have some soap, bars which are primarily sugar based bars, bars which are primarily polyethylene glycol based bars, etc.

With regard to visual attributes targeted by the optical modifier, these attributes may include, but are not limited to, attributes such as skin shine, skin lightness, skin color, skin glow, skin radiance, skin optical uniformity, skin evenness, and combinations thereof.

As indicated, the particulate optical modifier should change provide, in combination with deposition enhancement system, at least a 5% change in a visual attribute being targeted, wherein 5% increase refers to of at least one of various values (L, a*, b* gloss, etc.) which is associated with a particular attribute identified with the value (e.g.; L refers to "whiteness").

Specifically, improvement is measured by taking a value for a particular measured component (for example, gloss value, L value, a* value, b* value) and measuring (e.g. using in in vitro pig assay) values of these components before and after application of particle deposition enhancement system.

Thus, for example, if gloss score changes from 5.5 to 7.8 (or visa versa) (as measured in a gloss meter), there is a percent differential of 41.8% in gloss.

Similarly, if "a*" value (measure of rosiness) goes from 2.3 to 0.8, this is an absolute decrease of -1.5, well beyond 5%.

The optical benefit carried by the deposition of optical modifier can be targeted to either plateaus on the skin surface or to skin crevices.

In one embodiment of the invention, in absolute value, the composition of the invention (with modifier and added deposition system relative to composition with no deposition) deposits modifier to exhibit ΔL value in range of 0 to ± 10 "L" units, wherein said L units are defined by Hunter Lab Color Meter as described in the protocol, reflectance change in range of 0 to about $\pm 300\%$ as defined by a change in measured gloss from a gloss meter; and change in opacity in range from about 0 to $\pm 50\%$ measured in opacity contrast defined as ΔL divided by 60; wherein, at least one value has a change of at least 5% from the initial value prior to delivery of modifier.

In another embodiment, the formulation deposition of modifier creates a change in skin shine, glow or similar attributes, and the particulate optical modifier deposits to exhibit ΔL value in range of about 0 to about ± 10 L units, reflectance change in the range from 0 to about $\pm 300\%$ change in gloss, and a change in opacity in a range of $0 \pm 20\%$, wherein, Δa^* and Δb^* are within normal skin range. Maintaining a normal skin range means that Δa^* and Δb^* are $< 2 \Delta a^*$ or Δb^* units, respectively, preferably less than 1 unit. Again, there must be a least 5% change in at least one of reflectance, L, or opacity.

In another embodiment, the formulation deposition of modifier creates skin lightening, whitening, and/or color or similar attributes and the composition deposits particulate optical modifier to exhibit ΔL value in the range of ± 10 L units, Δa^* value in range from about 0 to about ± 10 , Δb^* value in range from about 0 to about ± 10 , and a change in opacity in the range from about 0 to about $\pm 50\%$. The reflectance is within normal skin reflectancy range. In this case, this means change in reflectance is $\leq 10\%$. Here, as noted, there is more of a focus on Δa^* and Δb^* values since there is a focus on general color attributes.

In yet another embodiment, the formulation creates skin optical uniformity, evenness, blurring, soft focus or similar attributes and the composition deposits particulate optical modifier to exhibit ΔL value in the range of ± 5 L units, a reflectance change in the range from about 0 to about $\pm 100\%$ (gloss units) and a change in the opacity in the range from about 0 to about $\pm 50\%$ (defined by $\Delta L / 60$), wherein Δa^* and Δb^* are within normal skin color range. (change of ≤ 2 a^* or b^* units respectively).

What is important to note is that the formulation can be formulated to yield a mixture (one or more effects/visual attributes) depending on the exact mixture of particles and/or particle types and/or deposition enhancement. Obtaining specific visual attributes of this kind by manipulating L or a^* or b^* or gloss value has not been previously possible from a wash-off system.

Specifically, any individual visual effect can be obtained by adjusting the optical space to specifically desired optical space within ranges of, for example, ΔL , Δa^* , Δb^* , etc. It should be noted, if not already clear, that ranges can be

manipulated to obtain effect for one or more attributes or mixtures thereof.

Structurant

The structurant of the invention can be a water-soluble or water insoluble structurant.

Water soluble structurants include moderately high molecular weight polyalkylene oxides of appropriate melting point (e.g. 40° to 100° C, preferably 50° to 90° C) and in particular polyethylene glycols or mixtures thereof.

Polyethylene glycols (PEG's) which are used may have a molecular weight in the range 2,000 to 25,000 preferably 3,000 to 10,000. However, in some embodiments of this invention it is preferred to include a fairly small quantity of polyethylene glycol with a molecular weight in the range from 50,000 to 500,000, especially molecular weights of around 100,000. Such polyethylene glycols have been found to improve the wear rate of the bars. It is believed that this is because their long polymer chains remain entangled even when the bar composition is wetted during use.

If such high molecular weight polyethylene glycols (or any other water soluble high molecular weight polyalkylene oxides) are used, the quantity is preferably from 1% to 5%, more preferably from 1% or 1.5% to 4% or 4.5% by weight of the composition. These materials will generally be used jointly with a large quantity of other water-soluble structurant such as the above mentioned polyethylene glycol of molecular weight 2,000 to 25,000, preferably 3,000 to 10,000.

Water insoluble structurants also have a melting point in the range 40° to 100°C., more preferably at least 50°C., notably 50°C. to 90°C. Suitable materials which are particularly envisaged are fatty acids, particularly those having a carbon chain of 12 to 24 carbon atoms. Examples are lauric, myristic, palmitic, stearic, arachidic and behenic acids and mixtures thereof. Sources of these fatty acids are coconut, topped coconut, palm, palm kernel, babassu and tallow fatty acids and partially or fully hardened fatty acids or distilled fatty acids. Other suitable water insoluble structurants include alkenols of 8 to 20 carbon atoms, particularly cetyl alcohol. These materials generally have a water solubility of less than 5 g/litre at 20°C.

Soaps (e.g. sodium stearate) can also be used at levels of about 1% to 15%. The soaps may be added neat or made in situ by adding a base, e.g. NaOH to convert free fatty acids.

The relative proportions of the water-soluble structurants and water insoluble structurants govern the rate at which the bar wears during use. The presence of the water-insoluble structurant tends to delay dissolution of the bar when exposed to water during use and hence retard the rate of wear.

The structurant is used in the bar in an amount of 20% to 85% , preferably 30% to 70% by wt.

In a preferred embodiment, the surfactant comprises predominantly water-soluble structurant. Hydrophobic structurant (e.g., free fatty acids, waxes) should comprise no more than 25%, preferably no more than 10% of structurant system; and such hydrophobic structurant should comprise no more than 25%, preferably

also than 20%; more preferably less than 15% by wt. of bar overall.

By water soluble is meant generally that 1% or more of compound is soluble in water at room temperature.

OPTICAL MODIFIER

The optical modifier which may be used for the subject invention may be chosen from non-colored and colored, organic and inorganic materials.

Among the materials which may be used are included:

Organic pigments, inorganic pigments, polymers and fillers such as titanium oxide, zinc oxide, colored iron oxide, chromium oxide/hydroxide/hydrate, alumina, silica, zirconia, barium sulfate, silicates, natural/alkaloid (including derivatives), polymers, polyethylene, polypropylene, nylon, ultramarine, alkaline earth carbonates. The materials can be platy materials such as talc, sericite, mica, synthetic mica, platy substrate coated with organic and inorganic molecules, bismuth oxychloride, barium sulfate. Particle can be composed of several materials (like dyes, lakes, toners). Lakes are, for example, dyes with aluminum hydroxide to help bind to solid. Color can be generated through fluorescence, absorption or iridescence. That is, color of modifier materials is generated through optical means rather than, for example, chemical means.

The optical modifier may also be a UV screen material with a $D_{50} < 100$ nanometers (where D_{50} means size of 50% of particles or less is < 100 nm).

The optical modifiers may also be defined by their physical properties. For example, the optical modifier may be broadly defined as follows:

- i) an exterior surface having a refractive index of 1.3 to 4.0;
- ii) a geometry which is spheroidal, platy or cylindrical;
- iii) dimensions: spheroidal – 0.1 to 200 μm , platy – 1 to 200 μm , cylindrical
-1 to 200 μm in length and 0.5 to 5.0 μm in diameter;
- iv) a D50 of ≤ 200 microns in particle size; and
- v) may have fluorescence color, absorption color and/or interference color (color through optics).

More specifically particles providing change in shine/glow/radiance may be defined as follows:

- i) an exterior surface having a refractive index of 1.8 to 4.0;
- ii) a geometry which is platy or cylindrical;
- iii) dimensions: spheroidal – 0.1 to 200 μm (microns) platy – 10 to 200 μm , cylindrical
-10 to 200 μm in length and 0.5 to 5.0 μm in diameter; and
- iv) a D₅₀ of ≤ 200 μm in particle size.

Particle providing skin lightening/color may be defined as follows:

- i) an exterior surface having a refractive index of 1.3 to 4.0;

- ii) a geometry which is spheroidal or platy;
- iii) dimensions: spheroidal – 0.1 to 1 μm , platy – 1 to 30 μm ;
- iv) a D_{50} of $\leq 300 \mu\text{m}$, in particle size; and
- v) may have fluorescence color, absorption color and/or interference color (color through optics).

Particle-producing evenness or soft focus may be defined as follows:

- i) an exterior surface having a refractive index of 1.3 to 2.0;
- ii) a geometry which is spheroidal, platy or cylindrical;
- iii) dimensions: spheroidal – 0.1 to 200 μm , platy – 1 to 10 μm , cylindrical – 1 to 10 μm in length and 0.5 to 5.0 μm in diameter; and
- iv) a D_{50} of $\leq 200 \mu\text{m}$ in particle size.

Of course, the formulation can contain a mixture of particles, each containing characteristics of a specific visual benefit, to create a combination of visual effects.

It is also to be understood that for visual effects/attributes to have maximum effect, the particles have to be well dispersed on the skin and should also give minimal to no sensory negatives.

By being “well dispersed” is meant that the particles should not agglomerate and that they should be spread easily through the skin surface.

In a preferred embodiment, less than 30% of particles are agglomerates having a size of ten times or more than the D_{50} particles size. This can be

measured using optical or electron microscopy.

The particle is used at about 0.1% to 35% by weight preferably 0.2 to 25% by wt. of the composition.

DEPOSITION ENHANCEMENT

The deposition enhancement is key to the delivery of particles providing enhanced visual benefit (e.g., as defined in changes in ΔL , Δa^* , etc. and in methods to manipulate the values to provide the desired benefit, e.g. radiance, color, etc.).

In one embodiment, the deposition is provided by a deposition system comprising as follows:

- a) from about 0.1 to about 10% by wt., preferably 0.1 to 8% by wt. of a cationic polymer having charge density ≥ 1 Meq/gram, and
- b) about 0.1 to 30% by wt., preferably 0.5% to 25% by wt. of an anionic surfactant which forms a precipitate with cationic polymer upon dilution.

The precipitate formed can be a floc which can be broken up upon shear or rubbing to form a uniform and dispersed film on the surface of the skin.

Example of such surfactants include C_{10} - C_{24} fatty acid soaps (e.g., laurates), alkyl taurate (e.g., cocoyl methyl taurate or other alkyl taurates), sulfosuccinates, alkyl sulfates, glycinate, sarcosinate and mixtures thereof.

It is important that the cationic have the noted charge in order to form the precipitate which is a key to the deposition of optical modifiers delivering the desired optical attributes. The polymers may be modified polysaccharides including cationic guar gums, synthetic cationic polymers, cationic starches, etc.

Specific cationic polymers which are to be used include Merquat® polymers such as polyquaternium 6 (e.g., Merquat®100 or Salcare®SC30) and polyquaternium 7 (e.g. Merquat®2200 or Salcare®SC10); guar gums and/or derivatives (e.g. Jaguar C17); quaternized vinylpyrrolidone/methacrylate copolymers (e.g., Gafquat® 775); and polyquaternium-16 (e.g.; Luviquat®FC550).

In general, other deposition aids (e.g., for the optical modifier particles) may include granular anionic polymers (e.g. alkaloid polymer such as starch, cellulose or their derivatives). That is if the deposition system additionally comprises such deposition aid, results are further enhanced.

Yet, another way to enhance deposition may be through modification (e.g. surface modification) of particles.

In another embodiment, the deposition enhancement system may comprise:

- 1) from 0.1 to 10% by wt. of an anionic polymer having charge density of at least ≥ 1.0 Meq/gram; and
- 2) from about 0.1 to 30% cationic surfactant which forms a precipitate with the anionic polymer upon dilution.

This system is the inverse of cationic polymer anionic surfactant system. The precipitate can also be a floc which can be broken up on shear or rubbing and form a uniform and dispersed film on the skin surface.

Cationic surfactant may be a quaternary amino surfactant or an amphoteric such as betaine (e.g., cocoamidopropyl betaine).

The anionic polymer may be a polyacrylate, cross-linked polyacrylate, polyurethane and/or alkaloid derived polymer (e.g., starch, cellulose and derivatives), polysaccharide (e.g. xanthan gum), agar and/or mixtures thereof.

This system may also additionally comprise 0.1 to 30% granular anionic polymer which is natural alkaloid polymer (starch, cellulose and derivatives) as deposition aid.

EXAMPLES

Protocol

In Vitro Porcine/Pig Skin Assay

A piece of black porcine skin is used ($L = 40 \pm 3$), where skin has dimensions of 5.0 cm by 10 cm, and the skin is mounted on black background paper card. Initial measurements of untreated skin are made. The mounted skin is then washed and rinsed with 0.2 g of liquid wash-off formulation or soap bar. After two (2) hours of drying, final measurements are made.

Color Measurements

Initial and final color measurements were made of porcine or in-vivo human skin using a Hunter Lab spectra colormeter using a 0° light source and 45° detector geometry. The spectra colormeter was calibrated with the appropriately black and white standards. Measurements were made before and after wash treatment. Three measurements were made each time and averaged. Values of L, a*, and b*, which came from the L a* b* color space representation, were obtained in this manner. L measures units of "Lightness", a* measures values from red to green and b* measures values from yellow to blue.

Reflectance (Gloss) Determination

Initial and final reflectance/radiance measurements of porcine or in-vivo human skin was made with a glossmeter which measures units of gloss. The glossmeter was first set with both detector and light source at 85° from normal. The glossmeter was calibrated with appropriate reflection standard.

Measurements of gloss were taken before and after application of formulation and Δ gloss was calculated to obtain percent difference.

Opacity Determination

Opacity of washable deposition was calculated from Hunter Lab color measurements. Opacity contrast was calculated from ΔL (change in whiteness after deposition compared to prior to deposition) divided by 60 (which is the difference in L value of skin and a pure white color).

Example for Bars

Formulations for Bar referred to as Formulation 1 to 7 are set forth below.

Formulation 1:

60% Talc in pure soap bar, wherein soap is a mixture of 15-20% coconut oil and 80 to 85% tallow. Typically, such a mixture has about 95% C₁₂ to C₁₈ fatty acids

Formulation 2:	<u>Ingredient</u>	<u>% by weight</u>
	Polyethylene glycol – 8K	43.5%
	Cocoamidossulfosuccinate	30%
	Fatty Acid	10%
	Sunflower Seed Oil	10%
	Merquat® cationic	1.5%
	Water	5%
	TiO ₂	16%

J6897(C)
04-R100-EDG

Formulation 3:	<u>Ingredient</u>	<u>Ingredient</u>
	Sugar (e.g., sucrose)	45%
	Maltodextrin	15%
	Sodium Laurate	15%
	Sodium dodecyl sulfate	2%
	Merquat® cationic	0.4%
	TiO ₂	10%
	H ₂ O	to balance

Formulation 4 – same as Formulation 2, but with 10% TiO₂ coated with mica instead of TiO₂ .

Formulation 5 – same as Formulation 3, but with 10% TiO₂ coated with mica instead of TiO₂ .

Formulation 6 – same as Formulation 2, but with 10% bismuth oxychloride instead of instead of TiO₂ .

Formulation 7 – same as Formulation 3, but with 10% bismuth oxychloride instead of TiO₂ .

J6897(C)
04-R100-EDG

Examples 1 -14

In the Table below are found examples of bars with optical modifier structured in different ways.

Examples	Formulation	Description	delta						Before				After			
			% Gloss	L	a	b	Gloss	L	a	b	Gloss	L	a	b	Gloss	L
1	1	60% Talc	-7.9	0.3	0.1	0.0	7.6	36.3	1.4	2.4	7.0	36.5	1.5	2.4	7.0	36.5
2	1		21.6	-0.3	-0.7	-0.4	7.4	39.7	2.8	5.8	9.0	39.4	2.2	5.4	9.0	39.4
3	2		-45.1	20.3	-1.4	-4.0	15.3	45.0	1.6	5.6	8.4	65.3	0.2	1.6	8.4	65.3
4	2		-44.6	27.5	-1.8	-7.2	16.8	46.0	1.4	5.5	9.3	73.5	-0.4	-1.8	9.3	73.5
5	3		-12.9	2.5	0.1	-4.0	6.2	53.6	2.3	8.2	5.4	56.1	2.4	4.2	5.4	56.1
6	3		0.0	-0.7	-1.1	15.0	6.1	51.1	3.1	-8.6	6.1	50.4	2.1	6.4	6.1	50.4
7	4		50.9	7.0	-1.2	-4.9	5.3	46.7	2.2	6.2	8.0	53.7	1.0	1.3	8.0	53.7
8	4		93.6	10.4	-1.3	-5.3	15.6	44.2	1.9	5.6	30.2	54.6	0.6	0.3	30.2	54.6
9	5		15.0	2.6	-0.5	-1.4	12.0	37.6	2.3	4.5	13.8	40.3	1.8	3.1	13.8	40.3
10	5		74.7	8.6	-1.3	-3.8	8.3	39.0	2.5	5.0	14.5	47.5	1.2	1.2	14.5	47.5
11	6		110.8	3.2	-0.7	-1.6	12.0	46.7	1.8	5.8	25.3	49.9	1.1	4.2	25.3	49.9
12	6		81.9	1.5	-1.1	-1.9	15.5	46.5	2.6	7.3	28.2	48.0	1.5	5.3	28.2	48.0
13	7		32.2	0.4	-1.3	-2.4	9.0	49.3	2.4	7.8	11.9	49.7	1.1	5.4	11.9	49.7
14	7		19.2	2.8	-0.7	-1.2	12.0	46.1	2.8	7.7	14.3	48.9	2.1	6.4	14.3	48.9

A brief explanation of examples is indicated below:

From examples 3 to 14, the data shows that the new deposition system (cationic polymer/anionic surfactant) has significant amount of deposition that leads to large changes in visual appearance and attributes.

Examples 3, 4, 5, and 6 (sugar and PEG bars) have a high deposition of TiO_2 and have the ability to increase whiteness and opacity (hiding power) in a person's appearance.

Examples 7, 9, and 10 show an increase in reflectance and whiteness using titania coated mica. The effects are similar to examples 3 to 6, except now there is radiance.

Examples 11, 12, 13, and 14 (sugar and PEG bars), with BiOCl , have a large increase in reflectance/radiance with little increase in whiteness.

Examples 1 and 2 (85/15 bar with 60% talc), however, is a case of minimal/poor deposition. It shows minimal whitening and reflectance, even though it contains 60% talc. The other sugar and PEG bar examples have only 10% particle composition.